

Package: WindCurves (via r-universe)

October 29, 2024

Type Package

Title Tool to Fit Wind Turbine Power Curves

Version 0.2

Date 2022-04-30

Author Neeraj Bokde, Andres Feijoo

Maintainer Neeraj Bokde <neerajdhanraj@gmail.com>

Description Provides a tool to fit and compare the wind turbine power curves with successful curve fitting techniques. Facilitates to examine and compare the performance of a user-defined power curve fitting techniques. Also, provide features to generate power curve discrete points from a graphical power curves. Data on the power curves of the wind turbine from major manufacturers are provided.

Imports methods, readbitmap, grid

License GPL

URL <https://www.neerajbokde.in/vignette/2021-10-14-WindCurves/>

Encoding UTF-8

LazyData true

RoxygenNote 7.1.2

Suggests knitr, rmarkdown

VignetteBuilder knitr

NeedsCompilation no

Date/Publication 2022-05-01 04:50:02 UTC

Repository <https://neerajdhanraj.r-universe.dev>

RemoteUrl <https://github.com/cran/WindCurves>

RemoteRef HEAD

RemoteSha d6b14115982540accdd7370db73783fcf0ed77ad

Contents

fitcurve	2
img2points	3
pcurves	3
plot.fitcurve	4
validate.curve	5
Index	6

fitcurve	<i>A fitcurve function</i>
----------	----------------------------

Description

Fits the power curve with Weibull CDF, Logistic and user defined techniques

Usage

```
fitcurve(data, MethodPath, MethodName)
```

Arguments

data	as input data.frame with two columns, i.e., wind speed and wind power
MethodPath	as path of a code for user defined curve fitting technique
MethodName	as name of the user defined curve fitting technique

Value

fitted curves and corresponding discrete fitted values

Examples

```
data(pcurves)
s <- pcurves$Speed
p <- pcurves$`Nordex N90`
da <- data.frame(s,p)
fitcurve(da)
```

img2points	<i>A function to capture Speed Vs Power discrete points from power curve image</i>
------------	--

Description

A function to capture Speed Vs Power discrete points from power curve image

Usage

```
img2points(imagePath, n)
```

Arguments

imagePath	as Path of a power curve image
n	as number of points to be captured from the curve image (default value is 15)

Value

data.frame with two columns, i.e., wind speed and wind power

Examples

```
## Not run:  
# to import image from system 'extdata' folder.  
# user can directly specify the path of the image in 'img2points()'.  
imagePath <- system.file("extdata", "powercurve.jpeg", package="WindCurves")  
img2points(imagePath)  
## End(Not run)
```

pcurves	<i>Wind Turbine Power Curves</i>
---------	----------------------------------

Description

Data on the power curves of wind turbine from four major manufacturers: Siemens, Vestas, RE-power and Nordex. Represents wind turbine power output in 'kW' against wind speed in 'metres per second'.

Usage

```
data(pcurves)
```

Format

An object of class data.frame with 25 rows and 7 columns.

Source

<https://goo.gl/tD2JW6>

References

Iain Staffell (2012) <https://goo.gl/tD2JW6>

Examples

```
data(pcurves)
v <- pcurves$`Vestad V80`
```

plot.fitcurve *A function to plot the curves fitted with fitcurve() function*

Description

A function to plot the curves fitted with fitcurve() function

Usage

```
## S3 method for class 'fitcurve'
plot(x, ...)
```

Arguments

x is object returned by fitcurve() function
... Additional graphical parameters given to plot function.

Value

Plot the curves fitted with fitcurve() function

Examples

```
s <- pcurves$Speed
p <- pcurves$`Nordex N90`
da <- data.frame(s,p)
x <- fitcurve(da)
plot(x)
```

validate.curve *A Validate.curve function*

Description

Compares the performance of curve fitting techniques fitted in fitcurve() function

Usage

```
validate.curve(x, MethodPath, MethodName)
```

Arguments

x	is object returned by fitcurve() function
MethodPath	as path of a code for user defined error measure technique
MethodName	as name of the user defined error measure technique

Value

A comparison matrix in terms of various error measures.

Examples

```
s <- pcurves$Speed
p <- pcurves$`Nordex N90`
da <- data.frame(s,p)
x <- fitcurve(da)
validate.curve(x)
```

Index

* **curves**

pcurves, 3

* **power**

pcurves, 3

fitcurve, 2

img2points, 3

pcurves, 3

plot.fitcurve, 4

validate.curve, 5